

**Public Service Commission of Wisconsin**

**Brownsville Water Utility**

**General Service - Metered**

Quarterly Service Charges:

5/8 - inch meter:	\$	46.39	3 - inch meter:	\$	182.23
3/4 - inch meter:	\$	46.39	4 - inch meter:	\$	255.12
1 - inch meter:	\$	53.01	6 - inch meter:	\$	334.63
1 1/4 - inch meter:	\$	59.64	8 - inch meter:	\$	417.46
1 1/2 - inch meter:	\$	69.58	10 - inch meter:	\$	536.74
2 - inch meter:	\$	109.34	12 - inch meter:	\$	656.01

For PSC use only: base 5/8-inch meter charge for SRC purpose - \$42.00

Plus Volume Charges:

First	30,000	gallons used each quarter:	\$6.30	per 1,000	gallons
Next	170,000	gallons used each quarter:	\$6.18	per 1,000	gallons
Over	200,000	gallons used each quarter:	\$5.08	per 1,000	gallons

Billing: Bills for water service are rendered quarterly and become due and payable upon issuance following the period for which service is rendered. A late payment charge of 3 percent but not less than 50 cents will be added to bills not paid within 20 days of issuance. This ONE-TIME 3 percent late payment charge will be applied only to any unpaid balance for the current billing period's usage. This late payment charge is applicable to all customers. The utility customer may be given a written notice that the bill is overdue no sooner than 20 days after the bill is issued. Unless payment or satisfactory arrangement for payment is made within the next 10 days, service may be disconnected pursuant to Wis. Admin. Code ch. PSC 185.

Combined Metering: For a residential customer with more than one meter on a single service lateral, volumetric reading from all meters shall be combined for billing. For a nonresidential customer, volumetric readings may be combined for billing if the utility for its own convenience places more than one meter on a single water service lateral. Multiple meters placed for the purpose of identifying water not discharged into the sanitary sewer are not considered for utility convenience and may not be combined for billing. This requirement does not preclude the utility from combining readings where metering configurations support such an approach. Volumetric readings from individually metered separate service laterals may not be combined for billing purposes.